




## Male Elbow



### INCH OD Tubes x Male NPT Thread

| T Tube OD | P ISO Male | Fluid Fit Part No. | A     | B    | C    | D    | E min. | F A/F | Fd   | G A/F | H    |
|-----------|------------|--------------------|-------|------|------|------|--------|-------|------|-------|------|
| 1/16      | 1/16       | 1 ME-N             | 19.0  | 9.6  | 10.9 | 8.6  | 1.3    | 11    | 11   | 15.3  | 17.8 |
| 1/16      | 1/8        | 1-2 ME-N           | 19.0  | 9.6  | 10.9 | 8.6  | 1.3    | 11    | 11   | 15.3  | 17.8 |
| 1/8       | 1/8        | 2 ME-N             | 23.6  | 9.6  | 15.3 | 12.7 | 2.4    | 11    | 11   | 17.0  | 17.8 |
| 1/8       | 1/4        | 2-4 ME-N           | 24.6  | 14.3 | 15.3 | 12.7 | 2.4    | 14    | 11   | 18.0  | 23.4 |
| 1/4       | 1/8        | 4-2 ME-N           | 26.9  | 9.6  | 17.8 | 5.3  | 4.8    | 14    | 14   | 19.6  | 18.8 |
| 1/4       | 1/4        | 4 ME-N             | 26.9  | 14.3 | 17.8 | 15.3 | 4.8    | 14    | 14   | 19.6  | 23.4 |
| 1/4       | 3/8        | 4-6 ME-N           | 29.7  | 14.3 | 17.8 | 15.3 | 4.8    | 19    | 14   | 22.4  | 26.2 |
| 1/4       | 1/2        | 4-8 ME-N           | 31.8  | 19.1 | 17.8 | 15.3 | 4.8    | 22    | 14   | 24.4  | 33.0 |
| 5/16      | 1/4        | 5-4 ME-N           | 28.7  | 9.6  | 18.5 | 16.3 | 6.3    | 14    | 16   | 21.3  | 24.4 |
| 3/8       | 1/8        | 6-2 ME-N           | 30.5  | 9.6  | 19.3 | 16.8 | 4.8    | 14    | 17   | 23.1  | 20.9 |
| 3/8       | 1/4        | 6-4 ME-N           | 30.5  | 14.3 | 19.3 | 16.8 | 7.1    | 17    | 17   | 23.1  | 25.4 |
| 3/8       | 3/8        | 6 ME-N             | 31.2  | 14.3 | 19.3 | 16.8 | 7.1    | 19    | 17   | 23.9  | 26.2 |
| 3/8       | 1/2        | 6-8 ME-N           | 33.3  | 19.1 | 19.3 | 16.8 | 7.1    | 22    | 17   | 25.9  | 33.0 |
| 1/2       | 1/4        | 8-4 ME-N           | 36.0  | 14.3 | 21.8 | 22.9 | 4.8    | 22    | 22   | 25.9  | 28.2 |
| 1/2       | 3/8        | 8-6 ME-N           | 36.0  | 14.3 | 21.8 | 22.9 | 9.6    | 22    | 22   | 25.9  | 28.2 |
| 1/2       | 1/2        | 8 ME-N             | 36.0  | 19.1 | 21.8 | 22.9 | 10.4   | 22    | 22   | 25.9  | 33.0 |
| 1/2       | 3/4        | 8-12 ME-N          | 39.9  | 19.1 | 21.8 | 22.9 | 10.4   | 27    | 22   | 29.7  | 36.8 |
| 5/8       | 1/2        | 10-8 ME-N          | 38.1  | 19.1 | 21.8 | 24.4 | 11.9   | 24    | 25   | 27.9  | 35.0 |
| 3/4       | 1/2        | 12-8 ME-N          | 39.9  | 19.1 | 21.8 | 24.4 | 11.9   | 27    | 28.5 | 29.7  | 36.8 |
| 3/4       | 3/4        | 12 ME-N            | 39.9  | 19.1 | 21.8 | 24.4 | 15.8   | 27    | 28.5 | 29.7  | 36.8 |
| 7/8       | 3/4        | 14-12 ME-N         | 44.7  | 19.1 | 21.8 | 25.9 | 15.8   | 35    | 32   | 34.5  | 41.6 |
| 1         | 3/4        | 16-12 ME-N         | 49.0  | 19.1 | 26.4 | 31.2 | 15.8   | 35    | 38   | 36.8  | 41.6 |
| 1         | 1          | 16 ME-N            | 49.0  | 23.8 | 26.4 | 31.2 | 22.3   | 35    | 38   | 36.8  | 46.5 |
| 2         | 2          | 32 ME-N            | 107.2 | 26.9 | 62.7 | 67.6 | 46.0   | 70    | 76   | 69.9  | 70.6 |

## **Fluid Fit Engineers**

Unit 11, Pereira Compound, Near Vaishali Nager, S. V. Road

Mumbai-400 102, Maharashtra (India)